

# Knife swallowing ended up with esophagectomy

Boris S. Tadić, Nikola M. Grubor, Vladimir M. Milosavljević,  
Milan D. Veselinović

## CASE REPORT

A 30-years-old male was admitted to surgical emergency department with three-day history of shortness of breath and chest discomfort. He looked healthy, but confused. According to the patient's statement, he did not have any chronic illnesses or operation, and his medical history was ordinary. His parents told us that his behaviour changed in the last few weeks. He was afebrile with normal vitals, and no associated nausea, vomiting, or fever was present. Lung auscultation showed normal results. After the initial assessment, a chest X-ray was performed (Figure 1), which revealed large, straight edge kitchen knife in the oesophagus. After being presented with a chest X-ray, the patient showed no knowledge, or any memory whatsoever, of swallowing the knife, and even looked a bit surprised. He had firmly refused proposed endoscopic examination, initially offered by a physician. Abdominal CT showed the same, without any evidence of pneumothorax, pneumomediastinum or pneumoperitoneum (Figure 2). After the initial assessment, and due to the size and position of the knife, it was estimated that endoscopic removal would be too risky, and was therefore decided that it would have been in the best interest of the patient to undergo surgical extraction by esophagectomy (Figures 3 and 4), and three months later esophageal reconstruction with colonic interposition.




Figure 1: Chest X-ray examination revealing presence of knife in oesophagus.




Figure 2: Computed tomography (CT) of the chest.

Boris S. Tadić<sup>1</sup>, Nikola M. Grubor<sup>1</sup>, Vladimir M. Milosavljević<sup>2</sup>,  
Milan D. Veselinović<sup>1</sup>

**Affiliations:** <sup>1</sup>Clinic for Digestive Surgery of the CCS- First Surgical Clinic, Serbia, Belgrade; <sup>2</sup>General Hospital Stefan Visoki, Serbia, Smederevska Palanka.

**Corresponding Author:** Dr. Boris Tadic, Clinic for Digestive Surgery, First Surgical Clinics, Clinical Centre of Serbia, University of Belgrade, Dr Koste Todorovica 6 St., 11000 Belgrade, Serbia; Email: tadicboris@yahoo.com

Received: 10 September 2018

Accepted: 12 September 2018

Published: 14 September 2018




Figure 3: Intraoperative photo – Knife extracted from esophagus.




Figure 4: Intraoperative photo – Esophagectomy.

## DISCUSSION

Ingestion of foreign objects is a common clinical problem and complaint for emergency room visits. Eighty percent of all cases of ingested foreign bodies are in children [1]. Adults admitted for foreign body ingestion are frequently prisoners, psychiatric patients, patients with developmental or learning disabilities, and patients with alcohol dependence. Psychotic patients may engage in foreign-body ingestion as a result of their delusional beliefs or in response to command hallucinations [2]. Also, there are also patients with severe personality disorders who repeatedly engage in foreign-body ingestion as a form of provocative, parasuicidal behavior. One distinctive feature of this method of self-harm is that it may not be immediately apparent to the physician [3].

## CONCLUSION

There is no current data regarding the incidence or prevalence of foreign body ingestion in the context of psychiatric inpatients or forensic psychiatry hospital institutions, although experience suggests that its occurrence is frequent enough to warrant future scientific investigation.

## REFERENCES

1. Tintinalli JE, Stapeczynski JS. Tintinalli's Emergency Medicine: A Comprehensive Study Guide. 7ed. New York: McGraw-Hill Medical; 2011. p. 80.
2. Gitlin DF, Caplan JP, Rogers MP, Avni-Barron O, Braun I, Barsky AJ. Foreign-body ingestion in patients with personality disorders. *Psychosomatics* 2007 Mar-Apr;48(2):162–6.
3. Klein CA. Intentional ingestion and insertion of foreign objects: A forensic perspective. *Am Acad Psychiatry Law* 2012;40(1):119–26.

**Keywords:** Esophagectomy, Esophagus, Foreign body swallowing, Parasuicidal behavior

### How to cite this article

Tadić BS, Grubor NM, Milosavljević VM, Veselinović MD. Knife swallowing ended up with esophagectomy. *Int J Case Rep Images* 2018;9:100949Z01BT2018.

Article ID: 100949Z01BT2018

\*\*\*\*\*

doi: 10.5348/100949Z01BT2018CL

\*\*\*\*\*

**Author Contributions**

Boris S. Tadić – Substantial contributions to conception and design, Acquisition of data, Analysis and interpretation of data, Drafting the article, Revising it critically for important intellectual content, Final approval of the version to be published

Nikola M. Grubor – Substantial contributions to conception and design, Acquisition of data, Analysis and interpretation of data, Drafting the article, Revising it critically for important intellectual content, Final approval of the version to be published

Vladimir M. Milosavljević – Substantial contributions to conception and design, Acquisition of data, Analysis and interpretation of data, Drafting the article, Revising it critically for important intellectual content, Final approval of the version to be published

Milan D. Veselinović – Substantial contributions to conception and design, Acquisition of data, Analysis and interpretation of data, Drafting the article, Revising it critically for important intellectual content, Final approval of the version to be published

**Guarantor of Submission**

The corresponding author is the guarantor of submission.

**Source of Support**

None.

**Consent Statement**

Written informed consent was obtained from the patient for publication of this clinical image.

**Consent Statement**

Written informed consent was obtained from the patient for publication of this clinical image.

**Conflict of Interest**

Authors declare no conflict of interest.

**Data Availability**

All relevant data are within the paper and its Supporting Information files.

**Copyright**

© 2018 Boris S. Tadić et al. This article is distributed under the terms of Creative Commons Attribution License which permits unrestricted use, distribution and reproduction in any medium provided the original author(s) and original publisher are properly credited. Please see the copyright policy on the journal website for more information.